



Website



Facebook



YouTube

Simon*i7*



Elegant Simple Unique Sophisticated

simon
LIGHT UP EMOTIONS

www.simonelectric.com



Simon, S.A.(Spain)
Tel. +34 902 109100
Web. www.simonelectric.com

Simon Electric (China)
Tel. +86 21 3855 5222
Web. www.simon.com.cn

Simon Electric (APAC)
Web. www.simon-apac.com
E-mail. info@simon-apac.com

PT Simon Elektrik Indonesia
Tel. +62 21 52960373
Web. www.simonelektrik.co.id

simon

July 2022 Printed



Simon i7 Series

Elegant Simple
Unique Sophisticated

Simple and elegant as a piano



Its extensive face with vertical and proportionate lines gives a comfortable and desirable form. Adopting the latest technology, the switch and the socket have the same size. The visual effect is more aesthetically pleasant.

Multi-gang design

i7 series of switches and sockets have multi-gang frames (up to 5 gangs) with multiple combinations.



76 type mounting box is applied.

When multi-gang frames are used, a special SIMON mounting box is needed (60710-50) in order to emphasize the visual expression of the design.



Safe and soft push

The feeling is comfortable and easy as i7 adopts the J Shape Toggle system.



Due to the J shape toggle system, the angular movement is very precise (only 4.5 degrees) making the pushing feeling faster and safer.




Flexible wire, easy
to connect



Children safety lock rejects any
plugs by abnormal objects, protect
safety of family members.



The saddle shape of the terminal has a
wider hole to fit with high section wire,
which can satisfy family needs to power.
The shape of the terminal avoid the wire
to be damaged.



Simple and sophisticate

*The base and the frame are
integrated with the same design.*



Ultra extraordinary

The base and the frame are made from PC and steel materials, which has high strength and no deformation. The paint on steel base makes it isolated and anti-corrosion.



The matt and techno color effect can adapt to any interior style and gives a sophisticate feeling. Three color options: white, champagne, grey and black.

Exquisite colors



White



Champagne



Grey



Black



The new electronic technique enables energy saving

i7 adopts a new electronic technique, to achieve two-wire system (which can be suitable for incandescent, fluorescent, halogen and LED with only two wires), that enables saving energy and reducing the use of carbon.



Touch time delay



Presence detector



Voice and light



Type A + Type C USB Outlet

Type A + Type C USB outlet, convenience solution to charge all your electronic devices.


Wifi Router can achieve wire connect and wireless connect at the same time. It can save the space for wire. Install in multiple location to achieve fully cover of signal.



Type A + Type C
USB Outlet



Wifi Router



13A BS Switched
Socket Module
(13A 250V)



i7

HDMI+USB, VGA-3.5 outlet, AV-S outlet.

i7 series TV, data and multi media sockets enable to meet the entertainment and working needs for both home and commercial usage.

With i7, it is possible to enjoy entertainment and work efficiently.



Shaver Outlet




Keycard Switch



Doorbell Switch Module
with "Do Not Disturb" &
"Make Up Room" Indicator

Simon|Smart

Simon|i7



APP control



Voice control



Wall switch



Automation




Download the app in:



Google Play



App store



Practical and Simple Just as You Imagine

A conventional switch capable of turning your house into a smart home.

i7 Simon Smart

- Light ON/OFF, Tunable white and Dimming, Curtain control, AC control, Scene setting
- Gateway, 6 Gang Remote Control Scene Switch



*6 Gang Remote Control Scene Switch any Light set (remotable)



Smart ZigBee Wall-mounted USB A+C Gateway(Wi-Fi)

Simon*i*7

Elegant Simple Unique Sophisticated



White

Champagne

Grey

Black

COLOUR ▶



Dimensions of Applicable Box



The codes are not included frames.

Switches


701011

1 Gang 1 Way Switch Module
(16AX 250V)



701012

1 Gang 2 Way Switch Module
(16AX 250V)



701013

1 Gang 1 Way Switch Module
with LED(16AX 250V)




701014

1 Gang 2 Way Switch Module
with LED(16AX 250V)



701026

1 Gang Intermediate Switch
Module(16AX 250V)



702023

20A Double Pole Switch Module
with LED(20AX 250V)



702024

20A 2 Way Double Pole Switch
Module with LED(20AX 250V)



703223

32A Double Pole Switch Module
with LED(32A 250V)




703224

32A 2 Way Double Pole Switch
Module with LED(32A 250V)



701021

2 Gang 1 Way Switch Module
(16AX 250V)



701022

2 Gang 2 Way Switch Module
(16AX 250V)



701023

2 Gang 1 Way Switch Module
with LED(16AX 250V)



701024

2 Gang 2 Way Switch Module
with LED(16AX 250V)



701046

2 Gang Intermediate Switch
Module(10AX 250V)



701031

3 Gang 1 Way Switch Module
(16AX 250V)



701032

3 Gang 2 Way Switch Module
(16AX 250V)



COLOUR ▶	White -46 Champagne -61 Grey -26 Black				Dimensions of Applicable Box
					Plate: 86*86mm Box: 72*72mm Fixing Center: 60.3mm





The codes are not included frames.

7010333 Gang 1 Way Switch
Module with LED(16AX 250V)**701034**3 Gang 2 Way Switch
Module with LED(16AX 250V)**701041**4 Gang 1 Way Switch Module
(10AX 250V)**701042**4 Gang 2 Way Switch Module
(10AX 250V)

Push Button

7010434 Gang 1 Way Switch Module
with LED(10AX 250V)**701044**4 Gang 2 Way Switch Module
with LED (10AX 250V)**701011F**1 Gang Push-button Switch
Module(16A 250V)**706301**Doorbell switch module
(16A 250V)

Socket-outlets

701021F2 Gang Push-button Switch
Module(16A 250V)**701031F**3 Gang Push-button Switch
Module(16A 250V)**701041F**4 Gang Push-button Switch
Module(16A 250V)**701072**Twin 2 pin Socket Module
(10A 250V)**701080**2 Pin Socket and Multi-standard
Socket Module(10A 250V)**701087**Single EU-US with Earth
Socket Module(10A 250V)**711287**Twin Euro-US Socket (combined
with frame)(16A 250V)**701382**13A BS Switched Socket Module
(13A 250V)

Dimensions of Applicable Box

Plate: 86*86mm

Box: 72*72mm

Fixing Center: 60.3mm

The codes are not included frames.

701089Multi-standard Socket Module
with Switch(13A 250V)**701582**15A BS Switched Socket Module
(15A 250V)**70E725**Multi-standard Socket with Twin
USB Charger(13A 250V)**701384**13A BS Switched Socket Module
with USB chargers(13A 250V)

Tel, TV and Data Outlets

701687Schuko Socket Module
(16A 250V)**705111**

TV Outlet Module

**705114**TV Outlet Module with
F-Connector**705119**

Twin TV Outlet Module

**705119S**TV and TV with F-
Connector Module**705214**Telephone Outlet Module
(RJ11)**705218**

Data Outlet Module Cat.6

**705224**Twin Telephone Outlet Module
(RJ11)**705228**

Twin Data Outlet Module Cat.6

**705229**

Telephone & Data Outlet Module

**705301**

Telephone & TV Outlet Module

**705302**

TV and Data Outlet Module Cat.6




COLOUR ▶

White	-45 Champagne	-61 Grey	-26 Black
-------	------------------	-------------	--------------

The codes are not included frames.

Dimensions of Applicable Box



705401

Speakers Outlet Module



705402

Twin Speakers Outlet Module



700493

AV-S Multimedia Socket Module



700494

USB and HDMI Outlet Module



Control And Regulation

700495

VGA-3.5 and Audio Outlet Module



70E727

USB(5V 2.4A)+TYPE-C(45W) Module



70E723

Twin USB Socket with Switch Module



70E301

Presence Detector Switch Module
(two wires)



70E302

Presence Detector Switch Module
(three wires)



70E303

Presence Detector Switch Module
(four wires)



70E102

200W LED Dimmer Switch Module



70E104

200W LED Dimmer Switch Module
(1-10V)



70E201

200W Fan Regulator Switch Module



70E401

160W Voice and Light Control
Switch Module



70E501

160W Touch Time Delay
Switch Module



70E621

4-Channel Volume Control
Switch Module(3 wires)



COLOUR ▶

White	-45 Champagne	-61 Grey	-26 Black
-------	------------------	-------------	--------------

Dimensions of Applicable Box



The codes are not included frames.

Hotel Solutions

D701022

2 Gang 2 Way Switch Module with
"Do Not Disturb" & "Make Up Room"



D701024

2 Gang 2 Way Switch Module with
"Do Not Disturb" & "Make Up Room"
(with LED)



70E611

Doorbell Switch Module with
"Do Not Disturb" Indicator



70E612

Doorbell Switch Module with
"Do Not Disturb" & "Make Up Room"
Indicator



45E611-61

"Do not Disturb", "Make Up room",
"Wait A minute", "Someone In" Indicator



70E741

WiFi Router Module



70E601

KeyCard Switch Module



70E602

Rfid KeyCard Switch Module



705901

Emergency Switch Module



714504

Shaver Socket (146) Module



70E651

Shaver Outlet Module



70E731

6000K Footlight Module



Others

70E732

3000K Footlight Module



70E733


3000K Sensory Footlight Module



701000

1 Gang Blank Plate





COLOUR ▶ White -46 Champagne -61 Grey -26 Black **zigbee**

The codes are not included frames.

Smart Gateway

S00E0-S008

Smart Zigbee Gateway (LAN)



S00E0-S009

Smart Zigbee Gateway (WiFi)



70E761TY

Smart ZigBee Wall-mounted
USB A+C Gateway(WiFi)



Smart Switch

70E838TY

1 Gang Smart Switch Module
(200W/gang)



70E855TY

1 Gang Smart Switch Module(20A)
(4400W/gang)



70E839TY

2 Gang Smart Switch Module
(200W/gang)



70E840TY

3 Gang Smart Switch Module
(200W/gang)



70E841TY

4 Gang Smart Switch Module
(200W/gang)



Smart Easy Switch (No neutral)

70E854TY

4 Gang Multifunction Smart Switch
Module(2 scene+2 switch)(200W/gang)



70E850TY

1 Gang Smart Easy Switch Module
(3W, 200W/Gang)



70E851TY

2 Gang Smart Easy Switch Module
(3W, 200W/Gang)



70E852TY

3 Gang Smart Easy Switch Module
(3W, 200W/Gang)



Smart Scene Switch

681820TY

6 Gang Remote Control
Scene Switch*



70E842TY

1 Gang Smart Scene Remote
Switch Module*



70E843TY

2 Gang Smart Scene Remote
Switch Module*



70E844TY

3 Gang Smart Scene Remote
Switch Module*



*No load wires between switch and light

*No load wires between switch and light



COLOUR ▶ White -46 Champagne -61 Grey -26 Black **zigbee**

The codes are not included frames.

Smart Curtain Switch

*4/5-Wire Strong Current Motor

70E845TY

4 Gang Smart Scene Remote
Switch Module*



70E846TY

1 Gang Smart Curtain
Switch Module*



70E847TY

2 Gang Smart Curtain
Switch Module*



Smart Tunable white and Dimming Set(with Smart KC1 light)

*No load wires between switch and light

70E853TY

Smart Tunable White and Dimming
Switch Module*



N62E0-1157

Smart LED KC1 Tunable WH Module
Max12W15°2700-6000K



N62E0-1158

Smart LED KC1 Tunable WH Module
Max12W24°2700-6000K



N62E0-1159

Smart LED KC1 Tunable WH Module
Max12W36°2700-6000K



N62E0-1160

Smart LED KC1 Tunable WH Module
Max12W60°2700-6000K



N6524-0391

SC1 constant current Tunable WH
+ Dim driver (5W100mA36VDC)



N6524-0392

SC1 constant current Tunable WH
+ Dim driver (7W160mA36VDC)



N6524-0393

SC1 constant current Tunable WH
+ Dim driver (9W200mA36VDC)



N6524-0394

SC1 constant current Tunable WH
+ Dim driver (12W300mA36VDC)



N6524-0412

Zigbee module for SC1 driver



COLOUR ▶ White Champagne Grey Black 

Dimensions of Applicable Box



The codes are not included frames.

Smart Dimming Switch

*TRAC


70E848TY

1 Gang Smart Dimming
Switch Module(200W/Gang)*



70E849TY

2 Gang Smart Dimming
Switch Module(200W/Gang)*



Smart 0-10V dimming set(with any 0-10V light)

*No load wires between switch and light


70E856TY

1 Gang Smart Dimming Remote
Switch(0-10V)*



70E857TY

2 Gang Smart Dimming Remote
Switch(0-10V)*



N65E0-0017

Zigbee to 0-10V converter
with on/off relay (800W/converter)



N6524-0412

Zigbee module for SC1 driver



Smart Thermostat

*VRF need customized AC gateway module

70E7024TY

Smart Central-AC Thermostat
Module(FCU)



70E7028TY

Smart Ventilation System Module



70E7031TY

Smart AC Thermostat Module
(VRF-Modbus open protocol)



COLOUR ▶ White Champagne Grey Black

Dimensions of Applicable Box



Frames 76

700610

1 gang frame



700620

2 gang frame
86mm*162mm



700630

3 gang frame
86mm*238mm



700640

4 gang frame
86mm*314mm



700650

5 gang frame
86mm*390mm



Mounting Box

60710-50

1 Gang Flush Mounting Box
(use for 76 type)



COLOUR ▶

White

-46
Champagne-61
Grey-26
Black

Dimensions of Applicable Box



Plate: 86*86mm
Box: 72*72mm
Fixing Center: 60.3mm

Frames 86

700820

2 Gang Frame
(86mm*172mm)

**700830**

3 Gang Frame
(86mm*258mm)

**700840**

4 Gang Frame
(86mm*344mm)



Mounting Box

700850

5 Gang Frame
(86mm*430mm)

**45DH86**

1 Gang Flush Mounting Box
(use for standard 86 type)



— **simon** —
LIGHT UP
EMOTIONS